



Log splitter

HF-60, HF-85 and HF-105

A new ingenious innovation is that you can control the log splitter with a foot.

The splitting wedge is controlled by foot pedal so that your hands stay free.

In this way different pieces of wood can be placed under the splitting wedge.

During letting the splitting wedge down by normal speed the log splitter stops if there is any obstacle.

So there is no risk of getting injured for the user.


After locking the piece of wood in the right position the operator uses both levers to continue splitting the wood.

Log splitter with an ingenious foot control for a vertical splitting of wood.

Types overview

Technical information

Design model	Log splitter HF-60	Log splitter HF-85
Splitting strength	6,0 t	8,5 t
Splitting height	1050 mm	1050 mm
Splitting time	3,2 cm/sec	5,3 cm/sec
Oil volume	6 liter	9 liter
Drive	Electric engine 1,8 KW 2800 rpm	Electric engine 3,0 KW 2800 rpm
Electricity	Switch-plug-combination 16A 400V Brake switch including phase inverter	Switch-plug-combination 16A 400V Brake switch including phase inverter
Weight	98 kg	144 kg
Further details	Wheel set as standard	Wheel set as standard
Item number	16.060	16.077



Log splitter HF-60



Log splitter HF-85



HF-85	Log splitter HF-85Z	Log splitter HF-85K	Log splitter HF-105	Log splitter HF-105K
	8,5 t	8,5 t	10,5 t	10,5 t
	1050 mm	1050 mm	1050 mm	1050 mm
	7,5 cm/sec	5,3 or 7,5 cm/sec	7,0 cm/sec	7,0 cm/sec
	9 liter	9 liter	9,2 liter	9,2 liter
Power	KW 2800	Kombi (3,0 KW + HVP)	Electric engine 3,0 KW 2800 rpm	Kombi (3,0 KW 2800 rpm+ HVP)
Control	Switch-plug-combination 16A including phase inverter	Switch-plug-combination 16A 400V Brake switch including phase inverter	Switch-plug-combination 16A 400V Brake switch including phase inverter	Switch-plug-combination 16A 400V Brake switch including phase inverter
Weight	156 kg	176 kg	170 kg	195 kg
Configuration	Wheel set as standard, three-point suspension (cat. 1+2)	Wheel set as standard, three-point suspension (cat. 1+2)	Wheel set as standard	Wheel set as standard, three-point suspension (cat. 1+2)
Part No.	16.082	16.085	16.195	16.193



Log splitter HF-85 K

Holzspalter HF-105

Log splitter HF-105 K

Further information



Widening gap wedge

Split the wood with a help of the most modern ingenious foot control!

You can fix the wood with both hands and sink the cylinder per foot control. The splitting wedge stops automatically on the surface of the wood piece and fixes it. Then the wood can be splitted per two hands control.



The types HF-60, HF-85 and HF-105 can be converted from splitting of short wood to splitting of cordwood in no time. The length settings of 54 cm, 67 cm and 105 cm are standard.

All design models of the types HF-60, HF-85 and HF-105 can be easily transported. These types distinguish themselves through the robust construction and the most modern mechanics.



Cross splitter

Accessories	Item number
A set of side tables HF -60	16.438
Widening gap wedge HF-60/HF-85	16.432
Cross splitter HF - 60	16.408
A set of side tables HF -85	16.440
Cross splitter HF - 85	16.412
Table exaltation HF-85	16.437
Cross splitter HF - 105	16.414
Widening gap wedge HF-105	16.433
A set of side tables HF -105	16.442
Table exaltation HF-105	16.439
Universal joint shaft	14.692



Technical and optical alterations are possible

Trader: